



MATERIAL SAFETY DATA SHEET

PRODUCT NAME **DIP & SOAK**

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Supplier Name **ECOWASH SYSTEMS**
Address P.O Box 386, Brookvale, NSW, AUSTRALIA, 2100
Telephone (02) 9938 1800
Fax (02) 9905 0979
Emergency (02) 9938 1800
Web Site www.ecowashsystems.com.au

Synonym(s) ECOWASH DIP & SOAK • DIP AND SOAK
Use(s) CUTLERY CLEANER • DISHWASHING POWDER
MSDS Date 25 July 2007

2. HAZARDS IDENTIFICATION

CLASSIFIED AS HAZARDOUS ACCORDING TO NOHSC CRITERIA

RISK PHRASES

R20 Harmful by inhalation.
R34 Causes burns.
R37/38 Irritating to respiratory system and skin.

SAFETY PHRASES

S36/37/39 Wear suitable protective clothing, gloves and eye/face protection.

CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE

UN No.	3253	DG Class	8	Subsidiary Risk(s)	None Allocated
Pkg Group	III	Hazchem Code	2X	EPG	8A1

3. COMPOSITION / INFORMATION ON INGREDIENTS

Ingredient	Formula	CAS No.	Content
CHLORINE - AVAILABLE	Cl ₂	7782-50-5	1.74%
ALKALINE SALT(S)	Not Available	Not Available	>60%
INORGANIC MATERIALS	Not Available	Not Available	10-30%
SODIUM METASILICATE	Not Available	10213-79-3	10-30%
INERT INGREDIENTS	Not Available	Not Available	<10%
SURFACTANT	Not Available	Not Available	<10%

PRODUCT NAME **DIP & SOAK**

4. FIRST AID MEASURES

Eye	Hold eyelids apart and flush continuously with water. Continue until advised to stop by the Poisons Information Centre, a doctor, or for at least 15 minutes. Keep patient calm.
Inhalation	If over exposure occurs leave exposure area immediately. If irritation persists, seek medical attention.
Skin	Remove contaminated clothing and gently flush affected areas with water. Continue to flush with water until skin no longer feels soapy. Seek medical attention. Launder clothing before reuse.
Ingestion	DO NOT induce vomiting. Immediately wash out mouth with water, and then give water to drink. Seek medical attention.
Advice to Doctor	Treat symptomatically
First Aid Facilities	Eye wash and hand wash basin are recommended.

5. FIRE FIGHTING MEASURES

Flammability	Non flammable. May evolve toxic gases when heated to decomposition. Contact with some metals (eg: aluminium), may liberate potentially flammable - explosive hydrogen gas. May also evolve carbon oxides, nitrogen oxides and sulphur oxides when heated to decomposition.
Fire and Explosion	Non flammable. Evacuate area and contact emergency services. Remain upwind and notify those downwind of hazard. Wear full protective equipment including Self Contained Breathing Apparatus (SCBA) when combating fire. Use waterfog to cool intact containers and nearby storage areas.
Extinguishing	Non flammable. Prevent contamination of drains or waterways, absorb runoff with sand or similar.
Hazchem Code	2X

6. ACCIDENTAL RELEASE MEASURES

Spillage	If spilt, absorb with sand or similar. Wear splash-proof goggles, PVC/rubber gloves, coveralls and rubber boots. Collect and place in sealable containers for disposal. Caution: Spill site may be slippery.
-----------------	--

7. STORAGE AND HANDLING

Storage	Store in cool, dry, well ventilated area, removed from oxidising agents, metals, acids, heat sources and foodstuffs. Ensure containers are adequately labelled, protected from physical damage and sealed when not in use. Check regularly for leaks or spills.
Handling	Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated areas.


8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Standards	Ingredient	Reference	TWA		STEL	
			ppm	mg/m3	ppm	mg/m3
	CHLORINE - AVAILABLE	NOHSC (AUS)	1	3	--	--

Biological Limit Values No biological limit allocated.

Engineering Controls Do not inhale vapours. Use in well ventilated areas. In poorly ventilated areas, mechanical extraction ventilation is recommended. Maintain dust levels below the recommended exposure standard.

PPE Wear splash-proof goggles, rubber or PVC gloves and coveralls. Where an inhalation risk exists when mixing, wear a PVC apron, rubber boots and a faceshield.



9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	PALE BLUE COLOURED POWDER (OR ENCLOSED)	Solubility (water)	SOLUBLE
-------------------	---	---------------------------	---------

PRODUCT NAME **DIP & SOAK**

Odour	FAINT CHLORINE BLEACH ODOUR	Specific Gravity	NOT AVAILABLE
pH	> 11.5	% Volatiles	< 2 %
Vapour Pressure	NOT AVAILABLE	Flammability	NON FLAMMABLE
Vapour Density	NOT AVAILABLE	Flash Point	NOT RELEVANT
Boiling Point	NOT AVAILABLE	Upper Explosion Limit	NOT RELEVANT
Melting Point	NOT AVAILABLE	Lower Explosion Limit	NOT RELEVANT
Evaporation Rate	NOT AVAILABLE	Autoignition Temperature	NOT AVAILABLE

10. STABILITY AND REACTIVITY

Material to Avoid Incompatible with oxidising agents (eg. peroxides), acids (eg. sulphuric acid), active metals (eg. aluminium, potassium, magnesium), and heat and ignition sources. May react vigorously or violently with acids generating carbon dioxide and chlorine.

Decomposition May evolve toxic gases when heated to decomposition. May also evolve carbon oxides, nitrogen oxides and sulphur oxides when heated to decomposition.

11. TOXICOLOGICAL INFORMATION

Health Hazard Summary Use safe work practices to avoid eye or skin contact. Due to the low vapour pressure of this product an inhalation hazard is not anticipated under normal conditions. If diluted, the potential for corrosive effects will be reduced. Repeated exposure to low levels of chlorine can lead to "chloracne" and erosion of the teeth.

Eye May result in pain, redness, corneal burns and ulceration with possible permanent damage with prolonged contact.

Inhalation Over exposure at high levels may result in irritation of the nose and throat, coughing, nausea and nasal inflammation. Low volatility markedly reduces inhalation hazard.

Skin Contact may result in itching, pain, redness, rash and dermatitis. Prolonged contact may result in burns.

Ingestion Ingestion may result in ulceration and burns to the mouth and throat, nausea, vomiting, abdominal pain and diarrhoea.

Toxicity Data CHLORINE - AVAILABLE (7782-50-5)
LC50 (Inhalation): 137 ppm/1 hour (mouse)
SODIUM METASILICATE (10213-79-3)
LD50 (Ingestion): 770 mg/kg (mouse - gastrointestinal ulceration)

12. ECOLOGICAL INFORMATION

Environment WATER: If released to waterways, alkaline products may change the pH of the waterway. Fish will die if the pH reaches 10-11 (goldfish 10.9, bluegill 10.5). SOIL: May leach to groundwater with toxic effects on aquatic life as above. ATMOSPHERE: Not expected to reside in the atmosphere. Drops or particles released to atmosphere should be removed by gravity and/or be rained out.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Neutralise with dilute acid (eg. 3 mol/L hydrochloric acid) or similar. For small amounts absorb with sand or similar and dispose of to an approved landfill site. Contact the manufacturer for additional information.

Legislation Dispose of in accordance with relevant local legislation.

14. TRANSPORT INFORMATION

CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE

Shipping Name DISODIUM TRIOXOSILICATE

UN No. 3253

DG Class 8

Pkg Group III

Hazchem Code 2X



Subsidiary Risk(s) None Allocated

EPG 8A1

PRODUCT NAME **DIP & SOAK**

15. REGULATORY INFORMATION

Poison Schedule	Classified as a Schedule 5 (S5) Poison using the criteria in the Standard for the Uniform Scheduling of Drugs and Poisons (SUSDP).
AICS	All chemicals listed on the Australian Inventory of Chemical Substances (AICS).

16. OTHER INFORMATION

Additional Information	EXPOSURE STANDARDS - TIME WEIGHTED AVERAGES: Exposure standards are established on the premise of an 8 hour work period of normal intensity, under normal climatic conditions and where a 16 hour break between shifts exists to enable the body to eliminate absorbed contaminants. In the following circumstances, exposure standards must be reduced: strenuous work conditions; hot, humid climates; high altitude conditions; extended shifts (which increase the exposure period and shorten the period of recuperation).
-------------------------------	--

ABBREVIATIONS:

ADB - Air-Dry Basis.

CAS# - Chemical Abstract Service number - used to uniquely identify chemical compounds.

CNS - Central Nervous System.

IARC - International Agency for Research on Cancer.

M - moles per litre, a unit of concentration.

mg/m³ - Milligrams per cubic metre.

NOS - Not Otherwise Specified.

pH - relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly alkaline).

ppm - Parts Per Million.

TWA/ES - Time Weighted Average or Exposure Standard.

PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:

The recommendation for protective equipment contained within this Chem Alert report is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

HEALTH EFFECTS FROM EXPOSURE:

It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a Chem Alert report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

Report Status	This document has been compiled by RMT on behalf of the manufacturer of the product and serves as the manufacturer's Material Safety Data Sheet ('MSDS').
----------------------	---

It is based on information concerning the product which has been provided to RMT and Ecowash Systems by the manufacturer or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer.

While RMT and Ecowash Systems has taken all due care to include accurate and up-to-date information in this MSDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, RMT and Ecowash Systems accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this MSDS.

Prepared By	Risk Management Technologies 5 Ventnor Ave, West Perth Western Australia 6005 Phone: +61 8 9322 1711 Fax: +61 8 9322 1794 Email: info@rmt.com.au Web: www.rmt.com.au
--------------------	--

MSDS Date: 25 July 2007

End of Report